

Sprint One Operator Information and Illustrated Parts Catalog

ATARI INC 1265 BORREGAS AVENUE P.O. BOX 9027 SUNNYVALE, CALIFORNIA 94086 408/745-2000 • TELEX 35-7488




Table of Contents

| | | 2 |
|---------|----|---|
| Table 2 | | cocedure |
| | | Illustrated Parts Catalog |
| Figure | 1 | Sprint One Final Assembly Drawing and Parts List8 |
| Figure | 2 | Cabinet Assembly Drawing and Parts List12 |
| Figure | 3 | Control Panel Assembly Drawing and Parts List14 |
| Figure | 4 | N-Shift Assembly Drawing and Parts List16 |
| Figure | 5 | Steering Wheel Assembly Drawing and Parts List |
| Figure | 6 | Steering Board Assembly Drawing, Parts List and Schematic20 |
| Figure | 7 | TV Shelf Assembly Drawing and Parts List24 |
| Figure | 8 | Power Supply Assembly Drawing and Parts List |
| Figure | 9 | Power Supply Schematic28 |
| Figure | 10 | Coin Door Assembly Drawing and Parts List |
| Figure | 11 | Harness Schematic32 |
| Figure | 12 | RF Shield PCB Assembly Drawing and Parts List |
| Figure | 13 | Sprint One PCB Assembly Drawing and Parts List |
| Figure | 14 | PCB Schematic Diagram (6 sheets)43 |
| Figure | 15 | Single Foot Pedal Assembly With Harness Assembly Drawing and Parts List48 |

OPERATOR OPTIONS

Options of the Sprint One[™] game offer maximum player appeal for each game location. These options are listed in Table 1. They are preset for a certain game structure during production. To determine how the switches have been set for your game, compare the TV monitor viewing screen during the attract mode with the information in Table 1.

In order to change the toggle positions of the switch assembly and set the desired options, the printed circuit board (PCB) must be removed according to the following procedure:

- 1. Unplug the game. Unlock and open the rear access door.
- Locate the RF box immediately inside the cabinet on the right. (It is an aluminum box with small holes.) On one end of the box is a printed circuit board with an edge connector coming from the edge of the board. This printed circuit board is the RF shield assembly.
- Remove the five pan-head Phillips screws from each of the long sides (total of ten screws) of the RF shield assembly.
 - IMPORTANT: To prevent damage to the capacitors on the rear side of this PCB, move the board about 1/4" towards the edge connector (same direction as two arrows on small white label). Then pull the RF board out towards yourself. Never yank the RF board straight out of the metal box.
- 4. Carefully remove the PCB from the RF shield assembly.
- 5. Set the switches for the desired options, as shown in Table 1.
- 6. Reinstall the PCB following Steps 1 through 4 in reverse order. Do not force or bend the printed circuit board. Before reinstalling, always inspect the printed circuit board for damage. Close and lock the rear access door.
- 7. Plug in the game and verify option functions by playing it.

Table 1 Operator Options

| | | | Switc | Switch Sett | tings | | | Results | TV Monitor Display During Self-Test |
|-----------|-----------|-----------------|------------------------|-------------|-----------|-----------------|------------------------|---|---|
| П | 2 | 3 | 4 | 5 | 9 | 7 | ∞ | | |
| ON OFF | | | | | | | | Oil slicks added to tracks No oil slicks | Oil |
| | ON OFF | | | | | | | Cycle to next track every lap Cycle to next track every two laps | Cycle |
| | | ON ON OFF | ON OFF ON OFF | | | | | Game cost - 25¢ per player Game cost - 25¢ for two players Game cost - 50¢ per player Game is free (No attract mode) | l Coin Per Player 2 Players Per Coin 2 Coins Per Player Demo |
| , | | | | ON | | | | Extended play equalling 3/10 of game time (set by toggles 7 and 8), if player obtains Pro rating during normal play. | Extended Play |
| | | | | | ON OFF | | | Not used, any position OK Not used, any position OK | |
| | | | | | | ON ON OFF | ON OFF ON OFF | Game time - 150 seconds Game time - 120 seconds Game time - 90 seconds Game time - 60 seconds | Time 150 Time 120 Time 90 |

SELF-TEST PROCEDURE

The self-test procedure permits you to check the TV monitor, the character-generating and sync circuits, and the controls. It speeds up troubleshooting by quickly isolating many kinds of component problems. This feature tests about 95% of the game's circuitry. The tests, except for the switches, are done automatically when the self-test switch is turned on. The results of each test are displayed sequentially on the TV monitor until the self-test switch is turned off. High scores will reset to 000 when performing the self-test. We suggest that you run the self-test each time the coin box is emptied.

Table 2 Self-Test Procedure

| Results if Test Fails | TV monitor display freezes. NOTE TO TECHNICIAN The TV monitor display freezes, with a letter or number showing on the screen. This letter or number corresponds to the alphanumeric whose particular data code was not written into the RAM correctly. | |
|------------------------|---|--|
| Results if Test Passes | TV monitor "flashes" alphanumerics (A through Z, and O through 9) on the screen, while audio "hash" sound comes from speaker. Rotating car appears in the lower right-hand corner of the screen and moves diagonally toward upper left-hand corner. When the car reaches the upper left corner of the screen, RAM test is complete. | If RAM testing is satisfactory, self-test feature automatically begins the ROM test. (Test 2.) |
| Instruction | Unlock and open coin door. Set self-test slide switch (located inside and to the left of the coin door), to the "on" position. | |
| Test | 1 | |

Table 2 Self-Test Procedure

| Test | Instruction | Results if Test Passes | Results if Test Fails |
|------|--|---|--|
| 7 | No operator action required. | Self-test operator sees a visual representation of game structuring in white characters at the top of the screen. No other visual effects appear on the screen. | Black numbers appear in the center of the screen. Refer to Table 3 to determine the failing ROM locations on the PCB. Match the part number of the game's PCB with the part number in Table 3. |
| n | Set gear shifter in 4th position then shift into 1st, 2nd, and 3rd positions. Step on accelerator foot pedal. Press START button. Trip right and left coin acceptor wires. | For each position, except 4th gear, an audio screech sound occurs. Audio screech sound occurs each time foot pedal is depressed. Audio screech sound occurs each time START button is pressed. Audio screech sound occurs each time wires are tripped. | A constant screech sound indicates a stuck switch or a shorted harness. No screech sound indicates a broken switch or an open harness. |
| 4 | No operator action required. | Light-emitting diode for START button activates automatically and stays on. | Light in START button is not activated. |

Table 3 ROM Locations for ROM Test Failure Indications "Test 2 of Self-Test"

| 7 | LO L1 MO M1 NO N1 PO P1 | |
|--------------------|--|---|
| | P(| E1 |
| 9 | N1 | |
| | NO | : |
| 2 | MI | |
| | МО | Dl |
| 4 * | L1 | Ω |
| , | г0 | |
| 8 | | |
| | C1 | C1 |
| 2 | | |
| | | |
| | | |
| | B1 | B1 |
| 0 | | |
| - | | |
| п | OM | MO |
| ıtio | lg R | lg R |
| lica | [1ir | lir |
| Inc | fa: | faj 3-02 |
| ure | of 643 | of 643 |
| Failure Indication | Location of failing ROM for PCB 6433-01 | Location of failing ROM for PCB 6433-02 |
| | ocat or E | ocat or E |
| | 14 | ПÜ |




Figure 1 Sprint One Final Assembly A008872-01 B




Figure 1 Sprint One Final Assembly A008872-01 B



Figure 1 Sprint One Final Assembly Parts List

| Item | Part Number | Qty. | Description |
|------|-------------|------|---|
| 1 | A008873-01 | 1 | Cabinet Assembly See Figure 2 |
| 2 | A008874-01 | 1 1 | Control Panel Assembly See Figure 3 |
| 3 | A008875-01 | 1 | T.V. Shelf Assembly See Figure 7 |
| 4 | A007299-01 | 1 1 | Rear Door Assembly with Lock |
| 5 | A009262-01 | 1 | R.F. Shield Box Assembly |
| 6 | A008910-XX | 1 | Shipping Container Assembly |
| 7 | A007258-01 | 1 | Power Supply Base Assembly, Type "C" See Figure 8 |
| 8 | A009083-01 | 1 1 | Coin Door Assembly See Figure 10 |
| 9 | 005419-01 | 1 1 | Speaker Mesh Cover |
| 10 | 002728-01 | 2 | Brkt. Control Panel |
| 11 | 006870-01 | 1 | Coin Box Bracket |
| 12 | 008901-01 | 1 | Bezel, Cardboard |
| 13 | 008903-01 | 1 1 | Shield, Plex Cover |
| 14 | 006311-01 | 1 | Harness, Schematic See Figure 11 |
| 15 | A006446-01 | 1 | R.F. Shield PCB Assembly See Figure 12 |
| 16 | A006443-XX | 1 | P.C.B. Assembly, Sprint I See Figure 13 |
| 17 | 005233-01 | 1 | Rear Door Seal |
| 18 | 006319-01 | 1 | Copyright Decal |
| 19 | 006305-01 | 1 | Printed Poly Bag |
| 20 | TM-095 | 1 | Tech. Manual |
| 21 | 007103-01 | 1 | On/Off Switch Cover |
| 22 | 008906-01 | 1 | Cover Panel with Graphics |
| 23 | A008845-01 | 1 | Single Foot Pedal Assembly See Figure 15 |
| 24 | 78-24007 | 4 | Cable Tie, Heat Stabilized |
| 25 | | | |
| 26 | 78-6601216 | 1 | Alum. Foil, 1" Wide x 20" Lg. (Approx.) |
| 27 | 73-77004 | 4 | Rivets, $3/16$ " OD x .68 Lg. (.250500 Grip) |
| 28 | 48-009 | 1 | Speaker, 8" |
| 29 | 82-8016 | 6 | Screws, Button Hd. Socket Cap. #10-32 x 1.00" Lg. |
| 30 | 75-99090006 | 6 | Well Nuts, Blind Hole Fastener #10-32 |
| 31 | 75-5524B | 4 | Carriage Bolts, ½-20 x 1.50 Lg. |
| 32 | 75-5516B | 4 | Carriage Bolts, $\frac{1}{4}$ -20 x 1.00 Lg. |
| 33 | 75-045 | 6 | Washers, Split-Lock 4 |
| 34 | 75-015S | 11 | Washers, Flat ¼ |
| 35 | 75-915S | 2 | Hex Nuts, 4-20 |
| 36 | 75-935 | 4 | Wing Nuts, 4-20 |
| 37 | 82-1824 | 8 | Wood Screws, #8 x 1 Lg. Ft. Hd. Phil. |
| 38 | 72-6610 | 22 | Screws, Sm. Pan Hd. Phil. #6 x 5/8 Lg. |
| 39 | 72-6608 | 10 | Screws, Sm. Pan Hd. Phil. #6 x ½ Lg. |



Figure 1 Sprint One Final Assembly Parts List

| Item | Part Number | Qty. | DESCRIPTION |
|----------|------------------------|---------|--|
| 40 41 | 72-6808 72-6812 | 1 15 | Screws, Sm. Pan Hd. Phil. #8 x ½ Lg. Screws, Sm. Pan Hd. Phil. #8 x 3/4 Lg. |
| 42 43 | 78-25001 46-201302 | 1 2 | Screw Down Tie-Wrap Fuses, 3 AMP |
| 44 | A007902-01 | 1 | Cash Box Assembly |
| 45 | IPC-095 | 1 | Illustrated Parts Catalog |
| 46 47 | ST-095 A009063-01 | 1 1 | Self Test Chart Speaker Harness Assembly |
| 48 | A006312-02 | 1 | Main Harness Assembled to Volume Control |
| 49 | A009509-01 | 1 | Power Switch & Harness Assembly |
| 50 | A007784-01 | 1 | Strain Relief Power Cord Assembly |
| 52 53 | 75-990505s 75-07021 | 4 6 | ¹ z-20 Nylon Locknuts #10 Nylon Black Washers |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




Figure 2 Cabinet Assembly A008873-01 A



Figure 2 Cabinet Assembly Parts List

| Item | Part Number | Qty. | Description |
|----------------------------------|---|------|--|
| 1 2 3 4 5 6 7 8 9 10 11 12 13 14 | A008877-01 A008877-02 A008878-01 A008879-01 A007298-01 008908-01 A008876-01 008897-01 008898-01 008881-01 008882-01 008883-01 | 1 | Left Hand Side Panel Cleat Assembly Right Hand Side Panel Cleat Assembly Lower Control Panel Assembly Foot Pedal Box Assembly Rear Door Assembly Panel, Top Panel, Speaker Mounting Assembly Panel, Plex Support T.V. Mounting Shelf Panel, Control Support Panel, Front Panel, Base Panel, Lower Rear Panel, Upper Rear |
| 13 | 008882-01 | 1 | Panel, Lower Rear |




Figure 3 Control Panel Assembly A008874-01 A



Figure 3 Control Panel Assembly Parts List

| Item | Part Number | Qty. | Description |
|------|-------------|------|--|
| 1 | 008902-01 | 1 | Control Panel with Graphics |
| 2 | 008898-01 | 1 | Control Panel with Wood Support |
| 3 | A006313-01 | 1 | Assembly, Control Panel Harness |
| 4 | A000608-02 | 1 | N-Shift Assembly See Figure 4 |
| 5 | A000598-02 | 1 | Steering Wheel Assembly See Figure 5 |
| 6 | 000567-01 | 1 | Bow Washer |
| 7 | 001856-01 | 1 | Bushing Alum. |
| 8 | 005255-01 | 1 | Shift Bezel |
| 9 | 85-22F112 | 10 | Screws, #10-24 x 3/4 Lg "F" Type Phil. |
| 10 | 62-002 | 1 | LED Switch |
| 11 | 75-5524 | 2 | Carriage Bolt, ½-20 x 1½ Lg. |
| 12 | 75-015S | 2 | Washers, Flat 4 |
| 13 | 75-045 | 2 | Washers, Split-Lock 4 |
| 14 | 75-915S | 2 | Hex Nuts, 4-20 |
| 15 | 75-6610 | 2 | Screw, Sheet Metal, #6 x 5/8" Lg. |
| 16 | 75-040 | 10 | #10 Split-Lock Washers |
| 17 | 75-010S | 4 | #10 Plain Flat Washers |
| | | | |
| | | | |





Figure 4 N-Shift Assembly A000608-02 Q





| tem | Part Number | Qty. | DESCRIPTION |
|-----|-------------|------|--|
| 1 | 000609-01 | 2 | Shift Housing |
| 2 | A000610-01 | 1 | Handle Assy |
| 3 | 005671-01 | 1 | Shift Detent |
| 4 | 73-7C0307SH | 3 | Shift Rivets |
| 5 | 78-3002003 | 1 | Spring, Assoc., Spring Co. (Co 360-032-100M/W) |
| 6 | 65-021A | 3 | Switch, Cherry (E18-00M) |
| 7 | 75-046 | 6 | Washers, #6 Split-Lock |
| 8 | 75-044 | 6 | Washers, #4 Split-Lock |
| 9 | 85-22F412 | 6 | SCR Mach., 4-40 x 3/4 Lg. Pan HD., Self Threading Type |
| 10 | 85-22F608 | 6 | SCR Mach., 6-32 x Lag. Pan HD., Self Threading Type FF |
| 11 | 76-11375S | 1 1 | Ball, Steel, 3/8 Dia. Bearing Grade |
| 12 | 78-16002 | A/R | Silicone Compound, Dow Corning #5 |
| 13 | 78-33001 | 1 | Clamp, Hose |
| | | | NOTE: Item #13, 78-33001, Hose Clamp is to be used only with old shift housing P/N 000609 Rev. "D" |
| | | | |
| | | | |
| | | | |
| | | | |

A Warner Communications Company





Figure 6 Steering Board Assembly A000607 $\rm M$



Figure 6 Steering Board Assembly Parts List

| Item | Part. No. | Qty. | Description |
|---|--|---|---|
| 1 2 3 4 5 6 7 8 9 10 11 12 | 000614 001092 001151 11750/10-5750 11471/10-5471 11332/10-5332 34104 /27-101103 70006/38-2N5777 70000/34-2N3643 71008/38-ME7124 | 1 1 Ref 2 4 2 2 2 2 2 2 | Printed Circuit Board (E) Light Mount Schematic Diagram Resistor, Comp., 75 ohm, ¼ watt, 5% Resistor, Comp, 470 ohm, ¼ watt, 5% Resistor, Comp, 3.3Kohm, ¼ watt, 5% Capacitor, Ceramic, .01µf Transistor, 2N 5777 (Photo Darlington) Transistor, 2N 3643 Light-Emitting Diode, I.R. ME 7124 |
| 13 14 15 16 17 18 | 80089 /79-58005 72-1212s 75-042 75-912s 003749 | 1 1 1 1 1 | Connector, 10 pin, PC Mount, Amp #1-380991 Screw, Machine, Pan Head Phil, #2-56 x 3/4 Lg. Washer, Split Lock #2 Nut, Hex, #2-56 Retainer, LED Light Mount |

A Warner Communications Company






Figure 7 TV Shelf Assembly A008875-01 A



Figure 7 TV Shelf Assembly Parts List

| Item | Part Number | Qty. | Description |
|------|------------------|------|----------------------------------|
| 1 | 008897-01 | 1 | Panel, T.V. Shelf |
| 2 | 92-032 | 1 | 23" T.V. Monitor |
| 3 | 75-5120 | 4 | Carriage Bolts #10-24 x 1.25 Lg. |
| 4 | 75-040 | 4 | Lock Washer #10 |
| 5 | 75-911s | 4 | Hex Nuts, #10-24 |
| 6 | 75-010s | 4 | Flat Washers, #10 |
| 7 | 82-405 | 2 | Eye Bolts, 4-20 x 3" Lg. |
| 8 | 75-07002 | 2 | Flat Washer 4, Fender |
| 9 | 75-045 | 2 | Lock Washers, Split 4 |
| 10 | 75 - 915S | 2 | Hex Nuts, 1/4-20 |
| 11 | 72-6012 | 2 | Screws, Sm. #10 x 3/4" Lg. |
| 12 | 75 - 015S | 4 | Flat Washer, #4 |
| | | | |
| | | | |
| | | | |
| | | | |
| ŀ | | | |
| | | | |
| | | | |
| | | | |
| ŀ | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | [] | |
| | | [[| |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |




Figure 8 Power Supply Assembly A007258-01 F



Figure 8 Power Supply Assembly Parts List

| Item | Part Number | Qty. | Description |
|------|-------------|------|---|
| 1 | A009266-01 | 1 1 | Power Supply Base Weldment |
| 2 | A006886-02 | 1 | Transformer Termination Assembly "Type C" |
| 3 | 78-2708 | 1 | Grommet, Plastic |
| 4 | A006958-01 | A/R | Volt Sel Block, 95V |
| 5 | A006958-02 | n | Volt Sel Block, 110V |
| 6 | A006958-03 | " | Volt Sel Block, 205V |
| 7 | A006958-04 | " | Volt Sel Block, 220V |
| 8 | 79-4411004 | 5 | Fuse Holder, Panel Mounting |
| 9 | A007192-01 | 1 | Power Switch Termination Assembly |
| 10 | A007444-01 | 1 | Power In Harness |
| 11 | 41-2003 | 1 | Filter, Power Line, 5 AMP |
| 12 | 75-038 | 6 | Washer, Lock External Tooth, Steel #8 |
| 13 | 75-918S | 6 | Mut, Mach., Hex, Steel #8 |
| 14 | 72-1812S | 6 | Screw, Pan Hd., Steel #8-3/4 |
| 15 | 75-018S | 8 | Washer, Flat, Steel #8 |
| 16 | 46-203801 | 1 | Fuse, 8 AMP, 125V, 3 AG Fast Acting |
| 17 | 46-201251 | 2 | Fuse, 2½ AMP, 125V, Slow Acting |
| - ' | 40 201231 | - | ruse, 22 Ant, 123V, Slow Accling |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 1 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| İ | | 1 1 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 1 | | 1 1 | |




Figure 9 Power Supply Schematic




Figure 10 Coin Door Assembly A006794-01 through -07 C



| Item | Part Number | Qty. | Description |
|------|-------------|------|---|
| 1 | A007637-01 | 1 | Front Bezel Assy Used only on -01 Coin Door Assy. |
| 1 | A007637-02 | R∈f. | Front Bezel Assy Used only on -02 Coin Door Assy. |
| 1 | A007637-03 | Ref. | Front Bezel Assy Used only on -03 Coin Door Assy. |
| | A007637-04 | Ref. | Front Bezel Assy Used only on -04 Coin Door Assy. |
| | A007637-05 | Ref. | Front Bezel Assy Used only on -05 Coin Door Assy. |
| | A007637-06 | Ref. | Front Bezel Assy Used only on -06 Coin Door Assy. |
| 1 1 | A007637-J7 | Ref. | Front Bezel Assy Used only on -07 Coin Door Assy. |
| 2 | 75-9165 | 4 | Nut 6-32 |
| 3 | A007639-01 | 1 | Coin Lock-Out Assembly |
| 4 | A007640-01 | 2 | Coin Switch Assembly |
| 5 | A002465-01 | 1 | Coin Counter Assembly |
| 6 | 004320-01 | 1 | Coin Door Weldment |
| 7 | 004341-01 | 2 | Secondary Coin Chute |
| 8 | 004344-01 | 1 | Key Loop |
| 9 | 004340-01 | 2 | Spring-Return |
| 10 | 004337-01 | 2 | Bracket, Wire Form |
| 11 | 004338-01 | 1 | Lock-Out, Wire Form, R.H. |
| 12 | 004336-01 | 1 | Lock-Out, Wire Form, L.H. |
| 13 | 004326-01 | 2 | Button, Scavenger |
| 14 | 75-046 | 4 | Lock Washer, #6 |
| 15 | 006904-01 | 2 | Spacer |
| 16 | 007359-01 | 1 | Lamp Socket |
| 17 | 70-11-47 | 1 | Lamp |
| 18 | 73-3008 | 2 | Retaining "C" Ring, Truare #5103-25 |
| 19 | 75-9914001 | 6 | Self-Threading Not., Tinnerman #SR188006 |
| 20 | 75-026S | 4 | Washer #6 |
| 21 | 75-00516 | 13 | Kepnut, Style 842, Stl., 6-32 |
| 22 | 008629-01 | 2 | Spring |
| 23 | 71-2118 | 1 | Lock Assembly, Hudson Lock |
| 24 | 71-1225CU | 2 | Coin Mechanism for American Quarter only |
| | 71-125FB | Ref. | Coin Mechanism for Belgian 5 Francs Only |
| | 71-121MG | Ref. | Coin Mechanism for German Mark only |
| | 71-121KS | Ref. | Coin Mechanism for Swedish Krona Only |
| | 71-12100YJ | Ref. | Coin Mechanism for Japanese 100 Yen Only Coin Mechanism for English 10 Pence Only |
| i | 71-1210PE | Ref. | Coin Mechanism for English to Fence Only Coin Mechanism for Australian 20-Cent Piece only |
| 1 | 71-1220CA | Ref. | |
| 25 | 007753-01 | 1 | Plate, Anti-Probe |
| 26 | A007638-01 | 1 | Switch Assembly - Slam |
| 27 | A006921-01 | 1 | Harness Assembly |

Figure 10 Coin Door Assembly Parts List




Figure 11 Harness Schematic




Figure 12 RF Shield PCB Assembly A006446-01 A



Figure 12 RF Shield PCB Assembly Parts List

| Item | Part Number | Qty. | Description |
|---------------|---|----------------------|--|
| 1 2 3 4 5 6 7 | Part Number 005491-01 79-517222 41-3003 27-250104 52-002 52-003 27-A250104 | Qty. 1 1 6 16 8 2 6 | Description PC Board Connector, 44 Pin P.C. Mount Inductor, 100µh Large Case Cap, Cer. Disc 0.1µf 25V Jumper, .4 Center Jumper, .6 Center Cap, Cer Disc 0.1µf 25V |
| | | | |




Figure 13 Sprint One PCB Assembly A006433-01 B



Figure 13 Sprint One PCB Assembly Parts List -01 Version

| | | | | | | - | | | | |
|------|-------------|---|------------|-------------------------|----------|-------|-------------|-------|---------------------------------|---|
| em | Part Number | Qty. | | | | | Description | ption | | |
| ь | 030626-01 | ٦ | Sprint One | one P. | P.C. Bo | Board | | | | |
| 13 | 10-5101 | 2 | Res., | Carbon, 5%, | . 58, | M.F. | ₽M 100 OHW | MHC | R17,35 | |
| ω | 10-5102 | 10 | | - | : | = | 1K | 2 | R1,2,4,19,26,33,38,50, 68,37 | |
| -4 | 10-5103 | Ħ | 7 | = | = | = | 10% | 2 | R3,21,31,42-44,58-61, 88 | |
| UI . | 10-5105 | ٢ | | | | = | 134 | • | R6 | |
| on | 10-5182 | 23 | = | = | 2 | = | 1.8K | : | R48,49 | |
| ~1 | 10-5222 | ω | 3 | - | 2 | = | 2.2K " | • | R15,16,25 | |
| ω | 10-5224 | ٢ | = | - | : | 2 | 220K | * | RB | |
| 9 | 10-5225 | ۲ | = | = | = | = | 2.2M | | R.S | |
| 10 | 10-5331 | 13 | = | = | = | = | 330 | : | R45,46,51-53,77-83,86 | |
| F | 10-5333 | ۲ | = | = | = | = | 33K | 3 | R62 | |
| 12 | 10-5335 | ۲ | = | - | = | = | 3.3M | = | R22 | |
| 13 | 10-5392 | ь | | = | 2 | 2 | 3.9K | ŧ | R24 | |
| 14 | 10-5471 | ω | 3 | = | = | 2 | 470 | = | R87,55,57 | |
| 15 | 10-5474 | ь | 3 | = | 2 | = | ,470K | = | R7 | |
| 16 | 10-5683 | 1 | = | = | z | = | 68K | = | R9 | |
| 17 | 10-5822 | ۲ | = | = | z | - | 8.2K " | 2 | R27 | |
| - 5 | 19-808W4P0 | P | Res., | Wirewound | ound | TOW, | , 4 OHM | Ę | R47 | |
| 19 | 19-315502 | <u>, , , , , , , , , , , , , , , , , , , </u> | Trimpot, | | 5K OHM | | | | R66 | |
| -20 | 19-315254 | ۲ | Trimpot, | | 250K OHM | 2 | | | R23 | |
| -22 | | | | | | | | | | |
| 22 | 10-5270 | ۲ | Res. | Res., Carbon, | п, 5%, | er. | W 27 OHM | WHO | R85 | |
| | | | | | | | | | | |
| -24 | | | | | | | | | | |
| - 25 | 21-101103 | ь | Cap. | Cap., Mylar, .Oluf 100V | , .01 | ŭ. | A001 | | C22 | |
| | | | | | | | | | | ~ |

| | | | | | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | _ |
|-------------------------|---------|-------------|----|--------------|----|--------------------|----|--------------------|----|----|--------------|--------------|-------------|----|----|----|----|----------------|--------------------------------|----|---------------|---|-----------------|---------------------------------|----|---|--------------|-------------|--------------|------------|---------------------------------|----|----|-------------|
| 59 | 58 | <u>ر</u> | 26 | л л . | 54 | 53 | 52 | 51 | 50 | 49 | 48 | 4, | 46 | 45 | 44 | 43 | 42 | 41 | 40 | 39 | 38 | 37 | 36 | 35 | 34 | ä | 32 | 31 | 30 | 29 | 28 | 27 | 26 | Item |
| 37-7404 | 37-7402 | 37-7400 | 1 | | | 34-2N6044 | | 33-2N3644 | | | 31-1N914 | 31-MR750 | 31-A14F | | | | | 28-101221 | 28-101101 | | 27-250224 | 27-250104 | 27-250103 | 27-250102 | | | 24-250478 | 24-250227 | 24-250108 | 24-250106 | 24-160808 | | | Part Number |
| ø | ۲ | 8 | , | | | p-r | | μ | | | 2 | 2 | 2 | | | | | ۳ | 1 | | H | 37 | 4 | Р | | | ۲ | ٢ | ب | ω | 2 | | | Qty. |
| " 7404 E | " 7402 | rated : Cir | | | | Transistor, 2N6044 | | Transistor, 2N3644 | | | Diode, 1N914 | Diode, MR750 | Diode, Al4F | | | | | " " 220pf 100V | Cap., Dipped Mica, 100pf, 100V | | " " .22uf 25V | " " .luf 25V | " "0luf 25V | Cap., Ceramic Disc, .001uf, 25V | | | " 4700uf 25V | " 220uf 25V | " 1000uf 25V | " 10uf 25V | Cap., Electrolytic, 8000uf, 16V | | | Description |
| E3, E4:, H5, J5, L6, N9 | P2 | F8,D0 | | | | 24 | | 21 | | | CRl,2 | CR4,5 | CR6,7 | | | | | C53 | C37 | | C71 | C1-3,5,13-16,19-21 26,27,31-36,41-43, 48,51,52,54,56,39, 6-11,70,68,69 | C28, -,57,44,45 | C55 | | | C67 | C12 | C49 | C17,18,25 | C65,66 | | | |



Figure 13 Sprint One PCB Assembly
Parts List

-01 Version

| 94 | 93 | 92 | 16 | 90 | 89 | 88 | 87 | 86 | 85 | 00 44 | 83 | 82 | 81 | 80 | 79 | 78 | 77 | 76 | 75 | 74 | 73 | 72 | 71 | 70 | 69 | 88 | 67 | 66 | 65 | 64 | 63 | 62 | 61 | 60 | Item |
|--------|----|------------|-----------|-----------------------------|----------|--------|---------|----------|----------------|----------------|----------|----------|----------|----------|-------------------------|----------|--------------------|----------|----------|---------|---------|---------|---------|---------|---------|----------|---------|---------|----------------|---------|---------|---------|---------|----------------|-------------|
| | | 37-TDA1004 | 37-LM323 | 90-7020 | 37-74367 | 37-555 | 37-9334 | 37-9322 | 37-9316 | 37-9301 | 37-74279 | 37-74175 | 37-74174 | 37-74166 | 37-74LS165 | 37-74164 | 37-74LS163 | 37-74156 | 37-74153 | 37-9312 | 37-7492 | 37-7490 | 37-7486 | 37-7483 | 37-7475 | 37-74574 | 37-7474 | 37-7437 | 37-7432 | 37-7430 | 37-7420 | 37-7414 | 37-7410 | 37-7408 | Part Number |
| | | - | ٢ | 00 | w | 1 | ۲ | w | ſπ | U | 1 | 1 | w | н | 6 | 2 | 9 | Р | ۲ | ۲ | ш | 1 | _ | 2 | 2 | _ | 2 | - | v | ٢ | ٢ | 2 | Н | vi | Qty. |
| | | Op-AMP | Regulator | 2 | : | : | ī | : | ; | : | = | : | 2 | = | = | | | = | | ŧ | | | | : | 2 | : | | | : | | | | | Integrated | |
| | | | | | | | | | | : | 3 | = | | = | 2 | | | | | = | : | = | = | | : | 2 | = | = | = | | 2 | : | ; | Circuit | |
| | | TDA1004 | LM323 | 21L02 A | 74367 | 555 | 9334 | 9322 | 9316 | 9301 | 74279 | 74175 | 74174 | 74166 | 74LS165 | 74164 | 74LS163 | 74156 | 74153 | 9312 | 7492 | 7490 | 7486 | 7483 | 7475 | 74874 | 7474 | 7437 | 7432 | 7430 | 7420 | 7414 | 7410 | t 7408 | Description |
| | | D9 | | F3,H3,J3,K3,F4,H4,J4, K4 | E5,K5,E6 | 07/8 | Н8 | H2,J2,K2 | R2,13,M3,N8,P8 | D2,F2,P7,E8,K8 | н6 | N2 | F5,L5,A7 | R3 | N7, 47, 37, K7, L7, M7, | B7,D7 | N5,P5,R5, N6,P6,R6 | J9 | ж8 | н9 | D8 | C6/7 | C7 | L4,M4 | C4,D4 | RØ | R1,M9 | R9 | A2,L2,P3,F6,J8 | N4 | A8 | A5,L9 | R7 | B2,C2,N3,C5,A6 | מנ |

| | 129 | 128 | 127 | 126 | 125 | 124 | 123 | 122 | 121 | 120 | 119 | 118 | 117 | 116 | 115 | 114 | 113 | 112 | 111 | 110 | 109 | 108 | 107 | 106 | 105 | 104 | 103 | 102 | 101 | 100 | 99 | 98 | 97 | 96 | 95 | Item |
|---|-------------------------|----------------|-------------------------|-----|-----|-----|----------------|-----|-----|-----|--------------------------------|-----|-----|-----|-----|-----|-----|----------------|----------------------------|---------------------|-------------------|-----|-----|---------|-----------------------------|-----------------|--------------------------------|-----|-----|-----|-----------------------|----|-------------------------|----|----|-------------|
| | 006436-01 | 006435-01 | 006434-01 | | | | 90-102 | | | | 79-42 040 | | | | | | | 78-16005 | 78-13016 | 78-06009 | 78-06001 | | | 75-916C | 75-056 | 75-016 | 72-1608C | | | | 66-118P1T | | 62-001 | | | Part Number |
| | ۲ | ٢ | ь | | | | 1 | | | | | | | | | | | ۲ | A/R | ۲ | ь | | | 2 | 2 | 2 | 2 | | | | ,_ | | ٢ | | | Qty. |
| 2 | Sprint I Program Prom 3 | I Program Prom | Sprint I Program Prom I | | | | Crystal 12.096 | | | | Socket, 40 Pin, Med. Insertion | | | | | | | Silpad (LM323) | Cement, (TDA1004 Heatsink) | Heatsink, (TDA1004) | Heatsink, (LM323) | | | | Washer, Lock, Int. Star, #6 | Washer, Flat #6 | Screws, Pan Hd., Phil., 6-32 x | | | | Switch, SPST, x8, DIP | | Switch, SPST, Momentary | | | Description |
| | M | 0.0 | 1.1 | | | | 17 | | | | C3 | | | | | | | | | | | | | | | | lg., CRES | | | | SW1 | | SW3 | | | |

Ma Warner Cummur ications

ATAP!

Figure 13 Sprint One PCB Assembly
Parts List

-01 Version

| Item | Part Number | Qty. | Description | |
|------|-------------|------|---------------------------|--------------|
| 131 | 006438-01 | ۲ | Sprint I Program Prom 5 | Ţ |
| 132 | 006439-01 | ۲ | Prom | ON |
| 133 | 006440-01 | Н | Sprint I Program Prom 7 | P1 |
| 134 | 006441-01 | ۲ | Sprint I Program Prom 8 | P0 |
| 135 | | | | |
| 136 | | | | |
| 137 | | | | |
| 138 | | | | |
| 139 | | | | |
| 140 | | | | |
| 141 | | | | |
| 142 | | | | |
| 143 | | | | |
| 144 | | | | |
| 145 | | | | |
| 146 | | | | |
| 147 | 006396-01 | | Sprint Character Prom LSB | P4 |
| 148 | 006397-01 | - | Sprint Character Prom MSB | R4 |
| 149 | | | | |
| 150 | | _ | | |
| 151 | 006398-01 | ۲ | Sprint Race Car Prom LSB | K6 |
| 152 | 006399-01 | - | Sprint Race Car Prom MSB | J6 |
| 153 | | | | |
| 154 | | | | |
| 155 | 006400-01 | ۲ | Sprint Sync Prom | M2 |
| 156 | | | | |
| 157 | | | | |
| 158 | 006401-01 | _ | Sprint Adress Decode Prom | E2 |
| 159 | | | | |
| 160 | | | | |
| 161 | | | | |
| 162 | | | | |
| 163 | | | | |
| 164 | | | | |
| 165 | | | | |
| 166 | | | | - |
| | | | | |
| | | | | |

| 169 | 168 | 167 | Item |
|--------------------|------------------------|------------------------|-------------|
| 90-6010 | 006291-01 | 006290-01 | Part Number |
| ٢ | H | ٣ | egy. |
| Integrated Circuit | Sprint Race Trak Rom 2 | Sprint Race Trak Rom 1 | Description |
| C3 | CI | B1 | otion |



Figure 13 Sprint One PCB Assembly Parts List

-02 Version

| ַ | 2 | | | 0 | ACTOTOTI | ŀ | 11 | | | |
|------|-------------|-----|--------|------------------------------|----------|------|--------|-------------|---------------------------------|--|
| Item | Part Number | ą. | | | ı | De | scri | Description | | |
| 1 | 030626-01 | ι | Sprint | I P.C. | Board | ď | | | | |
| 2 | 10-5101 | 2 | Res., | Res., Carbon, 5%, kW 100 OHM | 58 | N. | 100 | MHO | R17,35 | |
| ω | 10-5102 | 10 | • | : | = | : | K | 2 | R1,2,4,19,26,33,38,50, 68,37 | |
| 4 | 10-5103 | E | • | = | - | • | 10K | 2 | R3,21,31,42-44,58-61, 88 | |
| Ç | 10-5105 | н | : | - | = | 2 | K | : | R6 | |
| 6 | 10-5182 | 2 | | - | = | = | 1.8K | = | R48,49 | |
| 7 | 10-5222 | ω | : | = | = | 3 | 2.2K " | = | R15,16,25 | |
| 8 | 10-5224 | н | : | - | 3 | = | 220K | • | R8 | |
| 9 | 10-5225 | п | 2 | = | = | = | 2.2M | • | R5 | |
| 10 | 10-5331 | 13 | : | = | = | 2 | 330 | = | R45,46,51-53,77-83,86 | |
| H | 10-5333 | ٢ | | : | = | = | 33K | 2 | R62 | |
| 12 | 10-5335 | н | ; | = | = | 2 | 3.3M " | 2 | R22 | |
| 13 | 10-5392 | ٢ | : | | = | 1 | 3.9K | = | R24 | |
| 14 | 10-5471 | بيا | 3 | - | = | = | 470 | - | R87,55,57 | |
| 15 | 10-5474 | ш. | 3 | - | 2 | = | 470K " | = | R7 | |
| 16 | 10-5683 | ь | 2 | : | = | = | 68K | = | R9 | |
| 17 | 10-5822 | _ | 1 | | = | = | 8.2K " | = | R27 | |
| 18 | 19-808W4P0 | ш | Res., | Res., Wirewound 10W, | und . | low, | 4 OHM | MH | R47 | |
| 19 | 19-315502 | ۲ | Trimp | Trimpot, 5K OHM | MHO | | | | R66 | |
| 20 | 19-315254 | ь | Trimp | Trimpot, 250K OHM | K OH | × | | | R23 | |
| 21 | | | | | | | | | | |
| 22 | 10-5270 | ь | Res., | Res., Carbon, 5%, %W 27 OHM | 5.8 | , łw | 27 | MHO | R85 | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | 21-101103 | н | Cap., | Cap., Mylar, .0luf 100V | .01 | uf 1 | 000 | | C22 | |
| | | | | | | | | | | |

| | | | _ | _ | | | | | _ | | | | | | | • | | | | | | | | | _ | 4 | | | | | | | | | |
|---|-------------------|---------|--------------------------|----|----|----|--------------------|----|--------------------|----|----|--------------|--------------|-------------|----|----|----|----|----------------|--------------------------------|----|-------------|---|----------------|-------------------|----|----|--------------|-------------|--------------|------------|---------------------------------|----|----|-------------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 59 | 58 | 57 | 56 | 55 | 54 | 53 | 52 | 51 | 50 | 49 | 48 | 47 | 46 | 45 | 44 | 43 | 42 | 41 | 40 | 39 | 38 | 37 | 36 | 35 | 34 | 33 | 32 | 31 | 30 | 29 | 28 | 27 | 26 | Item |
| ; | 37-7404 | 37-7402 | 37-7400 | | | | 34-2N6044 | | 33-2N3644 | | | 31-1N914 | 31-MR 750 | 31-A14F | | | | | 28-101221 | 28-101101 | | 27-250224 | 27-250104 | 27-250103 | 27-250102 | | | 24-250478 | 24-250227 | 24-250108 | 24-250106 | 24-160808 | | | Part Number |
| | 6 | _ | 2 | | | | ٢ | | 1 | | | 2 | 2 | 2 | | | | | _ | - | | ۲ | 37 | 4 | ۲ | | | 1 | ٢ | 1 | ω | N | | | Qty. |
| | " 7404 | " 7402 | Integrated Circuit, 7400 | | | | Transistor, 2N6044 | | Transistor, 2N3644 | | | Diode, 1N914 | Diode, MR750 | Diode, Al4F | | | | | " " 220pf 100V | Cap., Dipped Mica, 100pf, 100V | | " .22uf 25V | " " .luf 25V | " "Oluf 25V | p., Ceramic Disc, | | | " 4700uf 25V | " 220uf 25V | " 1000uf 25V | " 10uf 25V | Cap., Electrolytic, 8000uf, 16V | | | Description |
| | E3,E4,H5,J5,L6,N9 | P2 | F8,D0 | | | | Q4 | | Δī | | | CR1,2 | CR4,5 | CR6,7 | | | | | C53 | C37, | | C71 | C1-3,5,13-16,19-21 26,27,31-36,41-43 48,51,52,54,56,39 6-11,70,68,69 | C28, ,57,44,45 | C55 | | | C67 | C12 | C49 | C17,18,25 | C65,66 | | | |



Figure 13 Sprint One PCB Assembly Parts List -02 Version

| Item | Part Number | Qty. | | | Description | |
|------|-------------|------|------------|---------|-------------|-----------------------------|
| 60 | 37-7408 | 5 | Integrated | Circuit | 7408 | B2,C2,N3,C5,A6 |
| 61 | 37-7410 | ٢ | 2 | = | 7410 | R7 |
| 62 | 37-7414 | 2 | 3 | = | 7414 | A5,19 |
| 63 | 37-7420 | ۳ | • | : | 7420 | A8 |
| 64 | 37-7430 | _ | 2 | | 7430 | N4 |
| 65 | 37-7432 | (Ji | , | : | 7432 | A2,L2,P3,F6,J8 |
| 66 | 37-7437 | Р | | | 7437 | R9 |
| 67 | 37-7474 | 2 | | : | 7474 | R1,M9 |
| 83 | 37-74574 | - | | : | 74574 | R8 |
| 69 | 37-7475 | 2 | 3 | | 7475 | C4,D4 |
| 70 | 37-7483 | 2 | 3 | z | 7483 | L4,M4 |
| 71 | 37-7486 | ۳ | | | 7486 | C7 |
| 72 | 37-7490 | _ | 2 | | 7490 | 06/7 |
| 73 | 37-7492 | ٢ | 2 | | 7492 | D8 |
| 74 | 37-9312 | ۲ | : | 4 | 9312 | Н9 |
| 75 | 37-74153 | _ | : | | 74153 | M8 |
| 76 | 37-74156 | ш | 4 | = | 74156 | J9 |
| 77 | 37-74LS163 | 6 | : | 2 | 74LS163 | N5,P5,R5, N6,P6,R6 |
| 78 | 37-74164 | 2 | 1 | | 74164 | B7,D7 |
| 79 | 37-74LS165 | 6 | = | • | 74LS165 | N7,H7,J7,K7,L7,M7, |
| 80 | 37-74166 | ۳ | | = | 74166 | R3 |
| 18 | 37-74174 | u | : | 2 | 74174 | F5,L5,A7 |
| 82 | 37-74175 | 1 | 1 | ÷ | 74175 | N2 |
| 83 | 37-74279 | 1 | : | ÷ | 74279 | Н6 |
| 84 | 37-9301 | u | 2 | = | 9301 | D2,F2,P7,E8,K8 |
| 85 | 37-9316 | 5 | : | : | 9316 | R2,L3,M3,N8,P8 |
| 86 | 37-9322 | 3 | = | 2 | 9322 | H2,J2,K2 |
| 87 | 37-9334 | _ | : | | 9334 | H8 |
| 88 | 37-555 | ш | | = | 555 | D7/8 |
| 89 | 37-74367 | ω | | : | 74367 | E5,K5,E6 |
| 90 | 90-7020 | 00 | : | | 21L02A | F3,H3,J3,K3,F4,H4,J4, K4 |
| 91 | 37-LM323 | ٢ | Regulator | | LM323 | |
| 92 | 37-TDA1004 | ч | Op-AMP | | TDA1004 | D9 |
| 93 | | | | | | |
| | | | _ | | | |

A waster to

94

| į | 130 | 129 | 128 | 127 | 126 | 125 | 124 | 123 | 122 | 121 | 120 | 119 | 118 | 117 | 116 | 115 | 114 | 113 | 112 | 111 | 110 | 109 | 108 | 107 | 106 | 105 | 104 | 103 | 102 | 101 | 100 | 99 | 98 | 97 | 96 | 95 | Item |
|---|-----|-----|-----|-----|-----|-----|-----|-------------------|-----|-----|-----|----------------------------------|-----|-----|-----|-----|-----|-----|----------------|----------------------------|---------------------|-------------------|-----|-----|----------------------|-----------------------------|-----------------|--|-----|-----|-----|---------------------------|----|-----------------------------|----|----|-------------|
| | | | | | | | | 90-102 | | | | 79-42 040 | | | | | | | 78-16005 | 78-13016 | 78-06009 | 78-06001 | | | 75-916C | 75-056 | 75-016 | 72-1608C | | | | 66-118P1T | | 62-001 | | | Part Number |
| | | _ | _ | | | | | н | | | | ь | | | | | | | 1 | A/R | Ъ | ۲ | _ | | 2 | 2 | 2 | 2 | | | | ш | | ч | | | शु. |
| | | | | | | | | Crystal 12.096 Y1 | | | | Socket, 40 Pin, Med Insertion C3 | | | | | | | Silpad (LM323) | Cement, (TDA1004 Heatsink) | Heatsink, (TDA1004) | Heatsink, (LM323) | | | Nut, Hes, #6-32 CRES | Washer, Lock, Int. Star, #6 | Washer, Flat #6 | Screws, Pan Hd., Phil., 6-32 x 1 Lg., CRES | | | | Switch, SPST, x8, DIP SW1 | | Switch, SPST, Momentary SW3 | | | Description |

Figure 13 Sprint One PCB Assembly
Parts List

-02 Version

| are mannoer | 3 | |
|-------------|--|----------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 006396-01 | 1 | Sprint Character Prom LSB |
| 006397-01 | 1 | Sprint Character Prom MSB |
| | | |
| | | |
| 006398-01 | _ | Sprint Race Car Prom LSB |
| 006399-01 | - | Sprint Race Car Prom MSB |
| | | |
| | | |
| 006400-01 | ٢ | Sprint Sync Prom |
| | | |
| | | |
| 006401-01 | 1 | Sprint Address Decode From |
| | | |
| | | |
| | | |
| | | |
| 006442-01 | 1 | Sprint I Program Rom 1 |
| 006443-01 | н | Sprint I Program Rom 2 |
| | _ | |
| | | |
| | | |
| | 006396-01 006398-01 006398-01 006400-01 006440-01 006443-01 | |

| Item | Part Number | Qty. | Description | |
|------|-------------|------|------------------------|----|
| 167 | 006290-01 | ٢ | Sprint Race Trak Rom 1 | B1 |
| 168 | 006291-01 | _ | Sprint Race Trak Rom 2 | CI |
| 169 | 90-6010 | ٦ | Integrated Circuit | C3 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |




Figure 14 PCB Schematic Diagram Sheet 1 of 5




Figure 14 PCB Schematic Diagram Sheet 2 of 5




Figure 14 PCB Schematic Diagram Sheet 3 of 5




Figure 14 PCB Schematic Diagram Sheet 4 of 5




Figure 14 PCB Schematic Diagram Sheet 5 of 5




Figure 15 Single Foot Pedal Assembly With Harness Assembly A008845-01 C



Figure 15 Single Foot Pedal Assembly With Harness Assembly Parts List

| Item | Part Number | Qty. | Description |
|---|--|--|--|
| 1 2 3 4 5 6 7 8 9 | A007183-01 A008955-01 A009804-01 75-046 75-916S 75-043 75-915S 75-5524B | 1 1 1 2 2 2 2 2 2 2 | Foot Pedal Assembly Harness Assembly, Foot Pedal Assy, Micro Switch & Bracket Lock Washer #6 Nut, Hex, #6-32 Washer, Split-Lock, 5/16" ½"-20 Hex Nut Carriage Bolt, Blk, ½"-20 x 1.50" |